Trade name: Soda Lime Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Soda Lime

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture General chemical processes Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

 Address
 Shimadzu Europa GmbH

 Albert-Hahn-Str. 6-10
 47269

 Duisburg
 Duisburg

 Telephone no.
 +49 (0)203 - 7687-0

 Fax no.
 +49 (0)203 - 711045

 Information provided by / telephone

Tel.: +49 (0)203 - 7687-0 Advice on Safety Data Sheet sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT RE 2; H373 STOT SE 3; H335

Classification information

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to specific target organ toxicity (single exposure) are based on toxicological studies performed on the product (mixture).


Classification and labelling with respect to specific target organ toxicity (repeated exposure) are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Trade name: Soda Lime Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

Region: GB

H318 H335 H373	Causes serious eye damage. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure
Precautionary statement(s)	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P314	Get medical advice/attention if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture (preparation)

No	Substance name		Additi	Additional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	Concentration		%
	REACH no					
1	CALCIUM DIHYDRO	(IDE				
	1305-62-0	Eye Dam. 1; H318	>=	70.00 - <	90.00	wt%
	215-137-3	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	-	STOT RE 2; H373i				
2	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	<	5.00		wt%
	215-185-5	Eye Dam. 1; H318				
	011-002-00-6					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Eye Irrit. 2; H319: C >= 0.5% Skin Irrit. 2; H315: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

No Route, target organ, concrete effect

H373i inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. In case of persisting adverse effects consult a physician.

After skin contact

Wash off immediately with soap and water. Get medical attention if pain still persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Region: GB

SHIMADZU

No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide; ABC powder; Foam; Water spray jet Unsuitable extinguishing media High power water jet

- **5.2 Special hazards arising from the substance or mixture** When heating or in case of fire formation of toxic gases.
- 5.3 Advice for firefighters

Use self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Collect mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available. Do not inhale dust.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No Substance name

CAS no.

EC no.

Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

Region: GB

1		1305-62-0		215-137-3
•	2017/164/EU	1000-02-0		210-107-0
	Calcium dihydroxide			
	WEL short-term (15 min reference period)	4 (Resp)	mg/m³	
	WEL long-term (8-hr TWA reference period)	1 (Resp)	mg/m ³	
	List of approved workplace exposure limits (WELs) / EH40		Ŭ	
	Calcium hydroxide			
	WEL long-term (8-hr TWA reference period)	5	mg/m³	
	List of approved workplace exposure limits (WELs) / EH40			
	Calcium hydroxide (Respirable fraction)			
	WEL short-term (15 min reference period)	4	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	
2	sodium hydroxide	1310-73-2		215-185-5
	List of approved workplace exposure limits (WELs) / EH40			
	Sodium hydroxide			
	WEL short-term (15 min reference period)	2	mg/m³	

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
solid		
Form/Colour		
powder / pastilles		
white		
white		
Odour		
odourless		
pH value		
No data available		
Boiling point / boiling range		
No data available		
Melting point/freezing point		
No data available		
Decomposition temperature		
No data available		
Flash point		
Not applicable		
Ignition temperature		
No data available		
Flammability		
No data available		

Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

Region: GB

Excellence in Science

Lower explosion limit		
No data available		
Upper explosion limit		
No data available		
Vapour pressure		
No data available		
Relative vapour density		
No data available		
Relative density		
No data available		
Density		
No data available		
Solubility in water		
Comments	partly soluble	
Solubility		
No data available		
Partition coefficient n-octanol/wat	er (log value)	
No data available		
Viscosity		
No data available		
Particle characteristics		
No data available		
.2 Other information		
Other information		

SECTION 10: Stability and reactivity

10.1 Reactivity No data available.

No data available.

- **10.2 Chemical stability** Stable if stored and handled properly.
- **10.3 Possibility of hazardous reactions** No data available.
- **10.4** Conditions to avoid Protect from sun. Heat
- **10.5** Incompatible materials strong oxidizing agents
- **10.6 Hazardous decomposition products** No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No Product Name	
1 Soda Lime	
Evaluation	Irritation is possible.
Serious eye damage/irritation	
No Product Name	
1 Soda Lime	



Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

Region: GB

Evaluation	Irritation is possible.
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	
	I, chemical and toxicological characteristics
Eye contact may cause mechanica	irritation through dust particles. The product can cause skin and eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation may lead to irritation of the respiratory tract.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

2.1 TOXICITY	
Toxicity to fish (acute)	
No data available	
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No data available	
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No data available	
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

12.2 Persistence and degradability No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil No data available.

12.5 Results of PBT and vPvB assessment No data available.

- **12.6 Endocrine disrupting properties** No data available.
- **12.7 Other adverse effects** No data available.

Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Region: GB

SHIMADZU Excellence in Science

12.8 Other information

Other information Ecological data are not available.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1	Transport ADR/RID/ADN Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label	8 C6 III 80 UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. E 8
14.2	Transport IMDG Class Packing group UN number Proper shipping name EmS Label	8 III UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. F-A, S-B 8
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	8 III UN3262 Corrosive solid, basic, inorganic, n.o.s. 8
14.4	Other information No data available.	
14.5	Environmental hazards Information on environmental hazards,	if relevant, please see 14.1 - 14.3.
14.6	Special precautions for user No data available.	
14.7	Maritime transport in bulk accor Not relevant	rding to IMO instruments
SECT	FION 15: Regulatory information	on
45 4	Cofaty, boolth and any ironmants	l regulations/legislation encoific for the subst

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)	
According to the data available and/or specifications supplied by upstream suppliers, this product does considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC)	
REACH candidate list of substances of very high concern (SVHC) for authorisation	
According to available data and the information provided by preliminary suppliers, the product does not of considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Aut 57 and article 59 of REACH (EC) 1907/2006.	
Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, F AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES	LACING ON THE MARKET
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

Product no.: 630-00556

Current version : 1.1.0, issued: 22.03.2022

Replaced version: 1.1.0, issued: 11.02.2019

/11.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)H314Causes severe skin burns and eye damage.

Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.

Creation of the safety data sheet

UMCO GmbH

H373i

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 671001