

# **Product no.:** 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

# Trade name

# PL Pesticides surrogate mix I

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture General chemical processes

**Uses advised against** No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

 Shimadzu Europa GmbH

 Albert-Hahn-Str. 6-10

 47269
 Duisburg

 Telephone no.
 +49 (0)203 - 7687-0

 Fax no.
 +49 (0)203 - 711045

Information provided by / telephone Tel.: +49 (0)203 - 7687-0 Advice on Safety Data Sheet sdb info@umco.de

# 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Flam. Liq. 2; H225 Repr. 2; H361 STOT RE 1; H372 STOT SE 3; H335 STOT SE 3; H336

#### **Classification information**

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)



 Hazardous component(s) to be indicated on label:

 acetone

 Hazard statement(s)

 H225
 Highly flammable liquid and vapour.

 H335
 May cause respiratory irritation.

 H336
 May cause drowsiness or dizziness.

# Product no.: 980-14690

Current

t version : 6.1.0, issued: 09.03.2	Replaced version: 6.0.0, issued: 18.08.2022     Region:
H361 H372 H410	Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Hazard statements (EU) EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statement(s) P210 P260 P273 P280 P370+P378 P391	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish. Collect spillage.

SHIMADZU Excellence in Science

#### 2.3 Other hazards

No data available.

**SECTION 3: Composition/information on ingredients** 

#### 3.1 **Substances**

Not applicable. The product is not a substance.

#### 3.2 **Mixtures**

# Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	acetone	·		
	67-64-1	EUH066	< 100.00	wt%
	200-662-2	Eye Irrit. 2; H319		
	606-001-00-8	Flam. Liq. 2; H225		
	-	STOT SE 3; H336		
2	esfenvalerate			
	66230-04-4	Acute Tox. 3; H301	< 0.10	wt%
	-	Acute Tox. 3; H331		
	608-058-00-4	Skin Sens. 1; H317		
	-	STOT SE 1; H370		
		STOT RE 2; H373		
		Aquatic Acute 1; H400		
		Aquatic Chronic 1, H410		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)	
-	-	M = 10000	M = 10000	
Route, target organ, concrete effect				
H370				
-; nervous system; -				
	- Route, target organ H370	-     -       Route, target organ, concrete effect       H370	-     -     M = 10000       Route, target organ, concrete effect       H370     H370	

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

#### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

#### After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

# **Product no.:** 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

#### Symptoms

CNS depression; Nausea; Headache; Vomiting; Light-headedness; Narcosis

# 4.3 Indication of any immediate medical attention and special treatment needed No data available.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet Unsuitable extinguishing media High power water jet

# 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Combustion products of this material have to be classed invariably as respiratory poison.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g., sand, sawdust, general-purpose binder). Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections No data available.

**SECTION 7: Handling and storage** 

### 7.1 Precautions for safe handling

### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available.

#### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight. Product is hygroscopic. Keep under inert gas.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Do not store together with: oxidizing agents; Aluminium; Acids; halogen compounds; Acid anhydrides

#### 7.3 Specific end use(s)

No data available.

**Product no.:** 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

## Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
	2000/39/EC				
	Acetone				
	WEL long-term (8-hr TWA reference period)	1210	mg/m³	500	ppm
	List of approved workplace exposure limits (WELs) / EH40				
	Acetone				
	WEL short-term (15 min reference period)	3620	mg/m³	1500	ppm
	WEL long-term (8-hr TWA reference period)	1210	mg/m³	500	ppm

## 8.2 Exposure controls

Appropriate engineering controls

No data available.

### Personal protective equipment

## **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

# Other

Normal chemical work clothing.

#### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
colourless			
Odour			
characteristic			
pH value			
No data available			
Boiling point / boiling range			
Value		57	°C
Reference substance	CAS 67-64-1		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value		-20	°C
Method	closed cup		
Reference substance	CAS 67-64-1		
Ignition temperature			



# Product no.: 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value Reference temperature	0.8 g/cm³ 20 °C
	20 C
Solubility No data available	
Partition coefficient n-octanol/water (log value) No data available	
Kinematic viscosity No data available	
Particle characteristics No data available	
2 Other information	

Other information No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

- **10.2 Chemical stability** Stable if stored and handled properly.
- **10.3 Possibility of hazardous reactions** No data available.

# 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

#### **10.5** Incompatible materials Oxidizing agents; Bases; Reducing agents; Chloroform

**10.6 Hazardous decomposition products** No data available.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

	te oral toxicity ata available			
	te dermal toxicity ata available			
-	te inhalational toxicity ata available			
-	corrosion/irritation			
<u>No</u>	Product Name PL Pesticides surrogate mix I			
Sour	Source Manufacturer			



# Product no.: 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

Eval	uation	No irritant effect.			
Seri	Serious eye damage/irritation				
No	lo Product Name				
1					
Sou	rce	Manufacturer			
Eval	uation	low-irritant			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
Res	piratory or skin sensitisation				
	lata available				
Gerr	m cell mutagenicity				
	data available				
Rep	roduction toxicity				
	Product Name				
1	PL Pesticides surrogate mix I				
Sou		Manufacturer			
Com	nments	Repr. Cat. 2			
Com	sin e se si si tr	· ·			
	cinogenicity				
NO C	lata available				
STO	)T - single exposure				
No	Product Name				
1	PL Pesticides surrogate mix I				
Sou	rce	Manufacturer			
Effe	cts	May cause drowsiness or dizziness.			
Eval	uation/classification	May cause respiratory irritation.			
STO	PT - repeated exposure				
	Product Name				
1	PL Pesticides surrogate mix I				
Sou		Manufacturer			
	luation/classification	May cause damage to organs through prolonged or repeated exposure			
Asp	iration hazard				
	lata available				
Dola	ayed and immediate effects as well as chronic e	ffects from short and long-term exposure			
	lation of vapours may lead to headache, drowsine				
	Information on other hazards				
	Endocrine disrupting properties				
	No data available.				
	Other information No data available.				
ECTI	ON 12: Ecological information				
	Toxicity				
	city to fish (acute)				
	Product Name				
1	PL Pesticides surrogate mix I				
Sou		Manufacturer			
<b>_</b>					

Source	Manufacturer		
Comments	Very toxic to aquatic organisms.		
Toxicity to fish (chronic)			
No data available			
Toxicity to Daphnia (acute)			
No data available			
Toxicity to Daphnia (chronic)			
No data available			
Toxicity to algae (acute)			
No data available			
Toxicity to algae (chronic)			
No data available			

# Product no.: 980-14690

Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

#### **Bacteria toxicity**

No data available

- Persistence and degradability 12.2 No data available.
- **Bioaccumulative potential** 12.3 No data available.
- Mobility in soil 12.4 No data available.
- Results of PBT and vPvB assessment 12.5 No data available.
- Endocrine disrupting properties 12.6 No data available.
- 12.7 Other adverse effects No data available.

#### 12.8 Other information Other information

Do not let enter the product into drains or waterways and do not store on public depositories

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

# 14.1 Transport ADR/RID/ADN

	Class Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Special Provision 640 Tunnel restriction code Label Environmentally hazardous substance mark	3 F1 II 33 UN1993 FLAMMABLE LIQUID, N.O.S. acetone 640D D/E 3 Symbol "fish and tree"
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label Marine pollutant mark	3 II UN1993 FLAMMABLE LIQUID, N.O.S. acetone F-E, S-E 3 Symbol "fish and tree"
14.3	<b>Transport ICAO-TI / IATA</b> Class Packing group UN number	3 II UN1993

# 14.3

01035	
Packing group	
UN number	
Proper shipping na	ame
Technical name	
Label	

#### Other information 14.4

No data available.

Page 7 of 9

Flammable liquid, n.o.s.

acetone 3

# Product no.: 980-14690

Current version : 6.1.0. issued: 09.03.2023

Region: GB

#### **Environmental hazards** 14.5

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user No data available.

Maritime transport in bulk according to IMO instruments 14.7 Not relevant

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

# REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006

#### Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No							
The	The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.						
No	o Substance name CAS no. EC no. No						
1	acetone	67-64-1	200-662	2-2 75			
2	2 esfenvalerate 66230-04-4 - 75						

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances E1, P5b

This product is subject to Part I of Annex I, risk category:

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

#### 15.2 **Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.



Trade name: PL Pesticides surrogate mix I Product no.: 980-14690 Current version : 6.1.0, issued: 09.03.2023

Replaced version: 6.0.0, issued: 18.08.2022

Region: GB

Prod-ID 653108