Sumitec F931	SDS No.	2523
SUMICO LUBRICANT CO., LTD.	Revision Date	Mar. 01, 2015

SAFETY DATA SHEET(SDS)

1 PRODUCT AND COMPANY IDENTIFICATION

Product Name : Sumitec F931

Company Name : SUMICO LUBRICANT CO., LTD.

Address : Shimbashi Sumitomo Bldg., 11-3, Shimbashi 5-chome Minato-ku, Tokyo 105-0004, Japan

Phone Number : +81-3-5401-8513
Fax Number : +81-3-5401-0471

Mail Address : tech_sumico@ni.smm.co.jp

2 HAZARDS IDENTIFICATION

Hazards Category

Classification not possible

Allocation of Label Elements

Pictogram

Classification not possible

Signal Word

Classification not possible

Hazard Statement

Classification not possible

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients and Contents

angle difference difference		
Component name	CAS number	wt%
Synthetic oil	Trade secret	50 ~ 60
Ethene, 1,1,2,2-tetrafluoro-, homopolymer	9002-84-0	40~50

4 FIRST-AID MEASURES

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if you feel unwell.

Skin

Wash with plenty of soap and water.

Call a physician if you feel unwell.

Eye

Immediately flush eyes with plenty of water for at least 15 minutes.

Call a physician.

Ingestion

Rinse mouth. Do not induce vomiting.

Call a physician.

5 FIRE-FIGHTING MEASURES

Extinguishing Media

Dry chemical, carbon dioxide(CO2), and foam

Specific Fire Fighting

If it becomes a fire, you are using the extinguishing agent to extinguish.

Must not use water to extinguish fires.

Quickly removed from the surrounding flammable.

Sumitec F931	SDS No.	2523
SUMICO LUBRICANT CO., LTD.	Revision Date	Mar. 01, 2015

The use of extinguishing agents specified.

Fire fighting is done from the windward.

On small fires use carbon dioxide (CO2) or dry chemical.

On large fires use dry chemical or foam.

Sealed containers that are exposed to high temperatures over the water to cool.

Protection for Fire-fighter

Wear full body protective clothing with breathing apparatus.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective equipments in case of operation.

Environmental Precautions

Avoid release to the environment.

Methods for Cleaning Up

Remove potential ignition source in vicinity as soon as possible.

Absorbed to non-flammable dry sand, if a large amount of spill to prevent enclosed in embankment.

Spilled material is collected in a container that can be sealed, then remove to safe place.

Deposits, waste treatment is based on the local regulations.

Working from the windward, to evacuate people downwind.

7 HANDLING AND STORAGE

Handling

Use in a well ventilated area.

Keep away from heat, spark and flames.

After handling, wash well hands and face and rinse your mouth.

Facilities storing or utilizing this material should be equipped with an eye wash facility and a safety shower.

Leakage, overflow, to prevent scattering, we do not generate steam in vain.

In the handling area and deny unnecessary entry.

Resting place shall not bring contaminated protective equipment such as gloves.

Wear protective equipments when risk of exposure occurs.

To work in an enclosed area that you work with appropriate protective equipment with a local exhaust ventilation sufficient.

Precautions

Do not breathe vapor or mist.

Handling of the outdoors, as much as possible to work from the windward.

Handling Precautions for Safety

Avoid physical damage to containers.

Keep containers securely sealed when not in use.

Storage

Fire prohibited strictly.

Keep away from sources of ignition.

Store in a cool, dry, well-ventilated area away from incompatible substances.

Separate from oxidizing materials.

Store in a tightly closed container.

Safe containers and packaging materials

None in particular.

8 EXPOSURE/PERSONAL PROTECTION

Engineering Controls

Ventilation fans and other electrical service must be non-sparking and have an explosion-proof design.

That the equipment and shall become hot, and the source of ignition in the vicinity of the location, such as handling not been placed.

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Sumitec F931	SDS No.	2523
SUMICO LUBRICANT CO., LTD.	Revision Date	Mar. 01, 2015

Exposure Limit Values

Chemical name	ACGIH
No substances	

Personal Protective Equipment

Respiratory Protection

Wear a gas mask for organic gas as required.

Skin Protection

Oil-resistant gloves

Eye Protection

Wear chemical worker's goggles.

Skin and body protection

Such as long-sleeved work clothes

Hygiene measures

Do not eat, drink or smoke during work.

Replacement of the adsorbent, such as the mask is performed each time or use plans.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Semi-Solid
Color : White
Odor : Slight odor
pH : Not available
Boiling Point(°C) : Not available
Melting Point(°C) : Not available
Flash point(°C) : None

Auto-ignition Temperature (${}^{\circ}C$) : Not available

Flammability or Explosive Limits

Lower : Not available
Upper : Not available
Vapour Pressure (KPa) : Not available
Vapour Density : Not available

Relative density(g/cm3) : 1.97

10 STABILITY AND REACTIVITY

Stability

Stable under normal temperatures and pressures.

Reactivity

No self-reactive

Conditions to Avoid

Heat, flames, ignition sources and incompatibles.

Contact with fire, and the oxidizing agent, contact with an alkali metal or alkaline earth metal

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide and other oxidized substances.

11 TOXICOLOGICAL INFORMATION

Chemical name	Acute toxicity (oral)	Acute toxicity (dermal)	Acute toxicity (inhalation: gas)	Acute toxicity (inhalation: vapour)	Acute toxicity (inhalation: dust, mist)	Skin corrosion / irritation	Serious eye damage / eye irritation	
---------------	--------------------------	----------------------------	----------------------------------	---	---	--------------------------------	---	--

Sumitec F931	SDS No.	2523
SUMICO LUBRICANT CO., LTD.	Revision Date	Mar. 01, 2015

| Synthetic oil | Classification |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | not possible |
| Ethene, 1,1,2,2-
tetrafluoro-,
homopolymer | Classification
not possible |

Chemical name	Respiratory/skin sensitizer	Germ cell mutagenicity	Carcinogenicity	Toxic to reproduction	Specific target organs/systemic toxicity following single exposure	Specific target organs/systemic toxicity following repeated exposure	Aspiration hazard
Synthetic oil	Respiratory sensitizer: Classification not possible; Skin sensitizer: Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
Ethene, 1,1,2,2- tetrafluoro-, homopolymer	Respiratory sensitizer: Classification not possible; Skin sensitizer: Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible

12 ECOLOGICAL INFORMATION

Chemical name	Hazardous to the aquatic environment (Acute)	Hazardous to the aquatic environment (Chronic)
Synthetic oil	Classification not possible	Classification not possible
Ethene, 1,1,2,2- tetrafluoro-, homopolymer	Classification not possible	Classification not possible

13 DISPOSAL CONSIDERATIONS

 $\label{local_regional_national_international} Dispose of contents \ / container in accordance with \ local/regional/national/international \ regulations.$

14 TRANSPORT INFORMATION

UN Class

Not regulated.

UN No.

Not regulated.

Packing Group

Not regulated.

15 REGULATORY INFORMATION

Follow all regulations in your country.

Sumitec F931	SDS No.	2523
SUMICO LUBRICANT CO., LTD.	Revision Date	Mar. 01, 2015

16 OTHER INFORMATION

References JIS Z 7253 GHS data-base (NITE)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.