SAFETY DATA SHEET

32400128 DAPHNE SUPER ACE-VAC 46



1. Identification of the substance/preparation and of the company/undertaking

Product name

: 32400128 DAPHNE SUPER Manufacturer

ACE-VAC 46

: IDEMITSUKOSAN CO., LTD. 3-1-1 MARUNOUCHI

CHIYODA-KU TOKYO JAPAN

PHONE: +81-3-3213-3143

Chemical Formula

.

Supplier

Emergency telephone number

: +81-3-3213-3143

Material Uses

2. Composition / information on ingredients

Substance/Preparation

: Preparation

To present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting in this section, in accordance to EU regulations or National regulations.

3. Hazards identification

Skin Contact

: Irritation of the product in case of skin contact: Not available. Sensitization of the product: Not available.

Aggravating conditions

: Repeated or prolonged exposure is not known to aggravate medical condition.

First-aid measures

First-Aid measures

Inhalation

: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

medical attention.

Ingestion

: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight

clothing such as a collar, tie, belt or waistband.

Skin Contact

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Eye Contact

: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least

15 minutes. Get medical attention.

5. Fire-fighting measures

Extinguishing Media

Suitable

: SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special fire-fighting procedures

: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Protection of fire-fighters : Be sure to use an approved/certified respirator or equivalent.

Accidental release measures

Personal precautions

: Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Environmental Precautions and Clean-up Methods

: Abs

Absorb with an inert material and put the spilled material in an appropriate waste disposal.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

Date of issue : 2002/10/15. Page: 1/3

32400128 DAPHNE SUPER ACE-VAC 46

Handling and storage

Handling : Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue

under a fume hood. Ground all equipment containing material. Do not breathe gas/fumes/ vapor/spray.

Storage : Keep container tightly closed. Keep container in a cool, well-ventilated area.

Packaging materials

Recommended use : Use original container.

8. Exposure controls/personal protection

Engineering measures : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their

respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station

location.

Hygiene measures : Wash hands after handling compounds and before eating, smoking, using lavatory, and at the end of day.

Occupational Exposure Limits : Not available.

Personal protective equipment

Skin and body : Lab coat.

Eyes : Safety glasses.

9. Physical and chemical properties

Physical state : Liquid.

 Color
 : Yellow. (Light.)

 Odor
 : Characteristic.

 pH
 : Not applicable.

 Melting Point
 : -12.5°C (9.5°F)

Flash point : Open cup: 250°C (482°F) (Cleveland.).

Explosive properties : Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Oxidizing Properties

Density : 0.8609 g/cm³ (15°C / 59°F)
Solubility : Insoluble in cold water.
Viscosity : Kinetic: 45.6 cS (@40?)

10. Stability and reactivity

Stability : The product is stable.

11. Toxicological information

Local effects

Chronic toxicity : Repeated or prolonged exposure is not known to aggravate medical condition.

Ecological information

Disposal considerations

Methods of disposal; Waste of residues: Contaminated packaging

: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Classification : Not applicable.

European Waste Catalogue (EWC) : Not available.

Hazardous Waste : Not available.

Date of issue : 2002/10/15. Page: 2/3

32400128 DAPHNE SUPER ACE-VAC 46

14. Transport information

International transport regulations

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
ADR/RID Class	Not available.	Not available.	Not available.			-
ADN Class	Not available.	Not available.	Not available.			-
IMDG Class	Not available.	Not available.	Not available.			-
IATA-DGR Class	Not available.	Not available.	Not available.			-

15. Regulatory information

EU Regulations

Risk Phrases

:

Safety Phrases

.

Product Use

: Classification and labeling have been performed according to EU directives 67/548/EEC, 1999/45/EC including amendments and the intended use.

-Consumer applications.

EC Statistical Classification

(Tariff Code)

: 32089091

16. Other information

Full text of R-Phrases with no. appearing in Section 2 - Europe Text of classifications appearing in

Section 2 - Europe

HISTORY

Date of printing

: 2002/10/15.

Date of issue

: 2002/10/15.

Date of Previous Issue

: No Previous Validation.

Version

. 1

Prepared by

: 1

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version 1

Page: 3/3